

ALKA HOSPITAL

Plastic & Microvascular Surgery Centre 42/17 A, Church Lane, Allahabad. Ph.: 0532-2465464, 2465494

Date 27.10.2018

#### Estimate

Mr. Dhananjay Mishra Age 25Yr/M S/o Mr. Vijay Kant Mishra R/o Village & Post Basheerpur Pratapgarh (U.P.) He is a follow up case of accidental crush compound injury right lower leg with flap reconstruction.

(1). Hospital Exp.: Admission Fee ,Operation, Anesthesia,

Dressing, Care Fee, Monitor etc For

10Days

Rs.110000/- Approximate

(2). Medicine Exp.: Par Day Rs.30000 /-

Approximate For 10 Days

Rs.300000/- Approximate

Total Rs. 410000/-Approximate

1+2 Total Rs.410000 /- Approximate Estimated.

-2A

Dr. D. C. Srivastava Dr. D.C. Srivastava Regd. No. 25059 Medical Counsel Lucknow

compound injury right lowet leg Mr. Dhananjay Mishra 25 Yr/M S/o Mr. Vijay Kant Mishra R/o VII & Post Basheer Pur Pratapgarh (U.P.) He has been admitted a this hospital on 14.06.2017 in emergency case of crush

III date 09.07.2017 on Admissin, Operation anesthesia Hospital (1) He has spent about Rs. 860000/- (Eight lakh sixty thousand Toy Medicine etc.

Medicine Exp.: Per Day Rs.30000/-Monitor, Care " & Days Prespital Exp.: Hospital stay, Dressing, Fee, etc For Rs. 100000/- Approximate

approximate For 14 Days Rs 520000/ Approximate Rs. 420000/-Approximate

3+2 11 Total Rs. 1380000/- Approximate Estimate

9 D. C Stiva: 3

Date 27.07. 2017

Estimat

ALKA HOSFILAL Plastic & Microvascular Surgery Centre 2/17 A, Church Lane, Allahabad Ph.: 2465464, 2465464

HOSPITAL





**CLINICAL HISTORY & INVESTIGATION** 

Repets allacho mes

eve hur fen an fer von sopenstikt dre. 2 Sprif 27/3/18 TREATMENT GIVE 18/4/18 2 nover Loy to the the P.T.O.



TREATMENT ADVISED AND FOLLOWUP: ollocition down on on allow Detring down on allow with Boadeling of conception on allow ein Boadeling of after treet of allocation in its of the of Tas heropsion 100 Dressing Done, CSt (ome ler 15/8 Markener son 100 Dy with the son 100 We broken son 100 to bro (ome for dressing affects dags Malle Engras Paulule Que IBD Mole and the Cap Nearth Jul 1B Note futureature by South dector Soly 8/4/12 N 13/4/15 16Julle -7 samis 23/4/18 man 28/4MQ 2/5/18 200 An 10 con h 7/5718
























KRITTI SLAN CERTINA

8

-





E-mail: kritiscan@gmail.com Website: kritiscanningcentre.com Phones- Reception: 0532-2256805, 2256266 = CT Scan: 2256151 = MRI: 2256100

Name	: Dhananjay Mishra	852854
Age/Sex	: 25 years/ male	

<u>Impression:</u> Ununited compound comminuted fractures of tibia with external fixator and an intramedullary nail at distal shaft of tibia through the ankle joint stabilising the external fixator.

Extensive Superficial and deep soft tissue loss seen in the anterior part of the right distal leg and anterior compartment with blebs of air noted.

Possible collection with air fluid level anteromedially at the upper leg measuring 3 x 1.5 cm

Right likely long-standing occlusion at level of distal popliteal artery with collateral vessels leading to reformation of single dominant artery in the lower leg 5 cm distally -common peroneal artery which distally gives rise to the posterior tibial artery.Right Anterior tibial artery and dorsalis pedis arteries are not visualised.

On the left, Hypoplastic anterior tibial artery. Single dominant artery in the left lower leg which is likely the common peroneal artery. At the level of ankle, the common peroneal artery divides into dorsalis pedis and posterior tibial arteries.

Adv: Clinical Correlation. DR. V.K.AGARWAL, MD DR. RACHIT SIDANA; DNB

DR RAVINDRA KUMAR BIND; MD

DR. KUSHAGRAMAL; MD

DR.UDBHAV MAHESHWARI; DMRD

DR. SEEMA PANDEY; MD

DISCREPANCIES DUE TO TECHNICAL OR TYPING ERRORS SHOULD BE REPORTED FOR CORRECTION WITHIN SEVEN DAYS. NO

# C.M.O. Reg. No. 1721/2399 Kriti Scanning Centre (P) Ltd.

OPEN TYPE 3.0 TESLA M.R.I., MULTISLICE (6 Slice) SPIRAL C.T. SCAN, COLOUR DOPPLER, USG 2D ECHO, DIRECT DIGITAL RADIOGRAPHY, DEXA BMD, DIGITAL (OPG), DIGITAL MAMOGRAPHY

59/18-E Lowther Raod, (In front of Medical College), Allahabad Regd. Off. : 55-B Lowther Raod, Allahabad-211002 E-mail: kritiscan@gmail.com Website: kritiscanningcentre.com Phones- Reception: 0532-2256805, 2256266 - CT Scan: 2256151 - MRI: 2256100

Name	: Dhananjay Mishra	852854
Age/Sex	: 25 years/ male	
Date	: 14 November 2017	
Referred by	: Dr D C Srivastava MS	

## CT Lower Limb Angiography

#### Report:

Plain axial scans (prior to angiography) were obtained in the region of interest. Angiography study was performed on a multidetector (1536 slice) SOMATOME FORCE CT scanner using bolus tracking technique. Approx 90 ml nonionic iodinated contrast was injected intravenously into an arm vein by pressure injector at rate of 4 ml/sec. Axial contiguous sections were taken from the above the level of origin of celiac trunk to aortic bifurcation. Post processing multiplanar reconstructions were performed in coronal and sagittal planes and 3-D reconstructions with MIP technique. Study reveals:

### Findings:

BONES: Normal on the left. On the right,

- N Ununited compound comminuted fractures of tibia with external fixator and an intramedullary nail at distal shaft of tibia through the ankle joint stabilising the external fixator.
- N Extensive Superficial and deep soft tissue loss seen in the anterior part of the distal leg and anterior compartment with blebs of air noted. Significant atrophy of muscles in the leg more so distally. Mild atrophy in thigh
- N Possible collection with air fluid level anteromedially at the upper leg measuring 3 x 1.5 cm
- N Non-union of fractures at proximal shaft of fibula and distal shaft of fibula
- N Patchy osteopenia in the bones of the right knee and lower leg likely due to disuse.

```
amputation of big toe noted
```

```
SUPRARENAL ABDOMINAL AORTA: Normal to extent seen
CELIAC AND MESENTERIC ARTERIES: Replaced right hepatic artery from superior
mesenteric artery
```

```
RENAL ARTERIES: Dominant Accessory left renal artery
INFRARENAL ABDOMINAL AORTA: Normal.
AORTIC BIFURCATION: Normal.
```

#### AV2399 Kriti Scanning Centre (P) Ltd. OPEN TYPE 3.0 TESLA M.R.I., MULTISLICE (6 Silce) SPIRAL C.T. SCAN. COLOUR DOPPLER. USG. DECHO, DIRECT DIGITAL RADIOGRAPHY, DEXA BIND, DIGITAL (OPG). DIGITAL MAMOGRAPHY DECHO, DIRECT DIGITAL RADIOGRAPHY, DEXA BIND, DIGITAL (OPG). DIGITAL MAMOGRAPHY DEPISE Lowther Raod, (In front of Medical College). Altanabad Regd. Off. : 55-B Lowther Raod, Allahabad-211002 E-mail: kritiscan@gmail.com Website: kritiscanningcentre.com Phones- Reception: 0532-2256805, 2256265 - CT Scan: 2256151 - MRI: 2256100

Name	: Dhananjay Mishra	852854
Age/Sex	: 25 years/ male	

RIGHT COMMON ILLIAC ARTERY: Normal. RIGHT EXTERNAL ILLIAC ARTERY: Normal. RIGHT INTERNAL ILLIAC ARTERY: Normal.

RIGHT COMMON FEMORAL ARTERY: Normal. RIGHT PROFUNDA FEMORIS ARTERY: Normal. RIGHT SUPERFICIAL FEMORAL ARTERY: Normal.

RIGHT POPLITEAL ARTERY, RIGHT ANTERIOR TIBIAL ARTERY, RIGHT TIBIO-PERONEAL TRUNK, RIGHT COMMON PERONEAL ARTERY: There is early venous contamination leading to difficulty in evaluation. Right likely long-standing occlusion at level of distal popliteal artery with collateral vessels leading to reformation of single dominant artery in the lower leg 5 cm distally -common peroneal artery which distally gives rise to the posterior tibial artery.

Right Anterior tibial artery and dorsalis pedis arteries are not visualised.

LEFT COMMON ILIAC ARTERY: Slightly smaller calibre LEFT EXTERNAL ILIAC ARTERY: Slightly smaller calibre LEFT INTERNAL ILIAC ARTERY: Normal.

LEFT COMMON FEMORAL ARTERY: Slightly smaller calibre LEFT PROFUNDA FEMORIS ARTERY: Normal. LEFT SUPERFICIAL FEMORAL ARTERY: Slightly smaller calibre

LEFT POPLITEAL ARTERY: Normal. LEFT ANTERIOR TIBIAL ARTERY: Hypoplastic LEFT TIBIO-PERONEAL TRUNK, LEFT COMMON PERONEAL ARTERY: Single dominant artery in the leg which is likely the common peroneal artery LEFT POSTERIOR TIBIAL ARTERY, LEFT DORSALIS PEDIS ARTERY: At the level of ankle, the common peroneal artery divides into dorsalis pedis and posterior tibial arteries.

ABDOMEN AND PELVIS: Few subcentimetre mesenteric nodes. Otherwise normal appearances



OPEN TYPE 3.0 TESLA M.R.I., MULTISLICE (6 Slice) SPIRAL C.T. SCAN, COLOUR DOPPLER, USG, 2D ECHO, DIRECT DIGITAL RADIOGRAPHY, DEXA BMD, DIGITAL (OPG), DIGITAL MAMOGRAPHY

59/18-E Lowther Raod, (In front of Medical College), Allahabad Regd. Off. : 55-B Lowther Raod, Allahabad-211002 E-mail: kritiscan@gmail.com Website: kritiscanningcentre.com Phones- Reception: 0532-2256805, 2256266 = CT Scan: 2256151 = MRI: 2256100

Name	: Dhananjay Mishra		852854	
Age/Sex	: 25 years/ male	Star South and Tail		
x .	TT II I was a second	animitad	fractures of tibia	

<u>Impression:</u> Ununited compound comminuted fractures of tibia with external fixator and an intramedullary nail at distal shaft of tibia through the ankle joint stabilising the external fixator.

Extensive Superficial and deep soft tissue loss seen in the anterior part of the right distal leg and anterior compartment with blebs of air noted.

Possible collection with air fluid level anteromedially at the upper leg measuring 3 x 1.5 cm

Right likely long-standing occlusion at level of distal popliteal artery with collateral vessels leading to reformation of single dominant artery in the lower leg 5 cm distally -common peroneal artery which distally gives rise to the posterior tibial artery.Right Anterior tibial artery and dorsalis pedis arteries are not visualised.

On the left, Hypoplastic anterior tibial artery. Single dominant

artery in the left lower leg which is likely the common peroneal artery. At the level of ankle, the common peroneal artery divides into dorsalis pedis and posterior tibial arteries.

Adv: Clinical Correlation. DR. V.K.AGARWAL, MD DR. RACHIT SIDANA; DNB

DR. KUSHAGRAGRAWAL; MD

DR.UDBHAV MAHESHWARI; DMRD

DR RAVINDRA KUMAR BIND; MD DISCREPANCIES DUE TO TECHNICAL OR TYPING ERRORS SHOULD BE REPORTED FOR CORRECTION WITHIN SEVEN DAYS. NO

स्वता में:

भारामण सोमल केलकेमट काउन्द्रान (महायम) vis Brook उन्नुरान के संस्वन्ता में प्रार्थना पत.

महोत्रम्

विक्य

मिविनम मिवेदन घट हे कि सेरा लाम खांनलम जुमार भिम् अत विक्रम कान्त जिझ निवासी झा. व मे. वर्जरपुर, तहसील रानीजेल जिला- प्रतापगढ़ (३०५०) जा निवासी हूं। जो कि सेरे माता पिता दोनो विकलांग हे पिता एक आरंच के आता बोल जही पाती है, पिता भी की उम्र लगमग 70वर्ष है। मेरी आहि पिता ह. पाला जा जा हुई, मेरा एक सी डेन्ट मिनॉल ३5 में २०१२ लो लड़क दुर्घटना में हो जया, उसमें हमारा शहिना सेर पूर्व रूप से द्विग्रस्त हो जया। जह डा. सेर कार्टने की ससाह दिया । यरन्तु अल्का हास्परन डसाहाखाद, में उह माहब सेर दाचाने का प्रयास करने की सेट लचा सके / लगभग दत आष्टेशन आजी ताज हरहे कि की एक आपरेशन बाकी है। पिता की ने खेत बेच कार आशी तका इलाका काराय है आब हमारे पास खेत भी नहा है। इलाज में लगमग ३५ लाख के छान्दी हो गये हैं। जी आज हो विकेवाद की वेड पर ही है। हम जुरुवर में रहकर अपने परिवार का पालन वालग करताश्चा झेरी आतिकां आय 7000 कात थी। सब लोग मुझ पट आलानिर्झर भी। अताः आए मे निवेदन है कि मेरे डलाय के लिए जुद सहायता प्रयान करने की क्या कोरें। में भी सल फिर

